

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	97	("5275327" "5586066" "5734373" "6161054" "6219033" "6219033" "4095156" "4295128" "4363448" "4374703" "4444048" "4815014" "4817883" "4818994" "4855658" "4937754" "4974165" "4980846" "5005410" "5020000" "5179701" "5214362" "5267329" "5339367" "5469144" "5474648" "5481459" "5532452" "5547578" "5556549" "5790246" "5826060" "5886896" "5938962" "5980101" "5996681" "6017143" "6017414" "6035240" "6078874" "6173757" "6174675" "6236017" "6249752" "6253159" "6411879" "6427127" "6442445" "6580417" "6777641").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/01/24 13:55
L2	1498	702/188.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 13:55
L3	141	702/116.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 13:56
L4	1676	345/157.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 13:56
L5	204	164/456.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 13:56
L6	30216	(sens\$3 or detect\$3 or gauge or meter) same (primary or first) with measur\$6 same second\$3 with measur\$6 with (process adj parameter\$1 or temperature or pressure or flow or voltage or current or humidity or vibration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 13:57
L7	3527	(sens\$3 or detect\$3 or gauge or meter) and (primary or first) with measur\$6 same second\$3 with measur\$6 with (parameter\$1 or temperature or pressure or flow or voltage or current or humidity or vibration) same (verify\$3 or validat\$3 or calibrat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 13:59
L8	2	2 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 14:00

L9	1	3 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 14:00
L10	0	4 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 14:01
L11	0	5 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 14:00
L12	7	4 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 14:02
L13	9	3 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 14:02
L14	12	2 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 14:01
L15	3	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 14:02
S1	7399	((702/56,184,2,185,16,183,6,42,5,177,182,58) or (123/188.1) or (340/870.2) or (73/1.34) or (713/1)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/26 15:49
S2	2	primary with second with measur\$6 with (process adj parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/01/23 13:04

S3	19	primary with second\$3 with measur\$6 with process with parameter\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/26 15:55
S4	1	S3 same (verif\$7 or valid\$5 or check\$3 or calibrat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/26 15:56
S5	3119	(verif\$7 or valid\$5 or check\$3) with (process near5 (parameter\$1 or measur\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 08:44
S6	163	(verif\$7 or valid\$5 or check\$3) with (process near5 parameter\$1) with measur\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/26 15:59
S8	59	S6 and (sens\$3 or transducer\$1) with (monitor\$3 or measur\$6 or detect\$3 or obtain\$3 or collect\$3 or observ\$6 or pick\$3 or determin\$3 or receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/26 16:26
S9	53	S8 and (computer or server or processor or microprocessor or central)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 08:45
S10	0	S9 and (interface or terminal or layer or protocol) with (portable or mobile or handheld or laptop or (hand adj held))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/26 16:14
S11	4	S9 and (portable or mobile or handheld or laptop or (hand adj held))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 08:36
S12	38	S9 and (interface or terminal or layer or protocol)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/26 16:27

S13	60	S6 and (sens\$3 or transducer\$1) with (monitor\$3 or measur\$6 or detect\$3 or obtain\$3 or collect\$3 or observ\$6 or pick\$3 or determin\$3 or receiv\$3 or acquisition or acquir\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 08:52
S14	54	S13 and (computer or server or processor or microprocessor or central or remote)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/26 16:27
S15	43	S14 and (interface\$1 or terminal\$1 or layer\$1 or protocol\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/26 16:28
S16	106295	(portable or mobile or handheld or laptop or (hand adj held)) with (provid\$3 or transmit\$5 or broadcast\$3 or send\$3 or upload\$3) with (data or signal\$1 or measur\$6 or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/01/24 13:54
S17	3995	(verif\$7 or valid\$5 or check\$3) with (process near5 (parameter\$1 or measur\$6 or sampl\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 10:28
S18	127	S16 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 08:45
S19	91	S18 and ((computer or server or processor or microprocessor or station) with (analy\$5 or compar\$5 or diagnos\$4 or verif\$7 or validat\$4 or check\$3 or evaluat\$3 or investigat\$3 or assessment or estimat\$3 or judg\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 10:29
S20	42	S19 and ((sens\$3 or transducer\$1) with (monitor\$3 or measur\$6 or detect\$3 or obtain\$3 or collect\$3 or observ\$6 or pick\$3 or determin\$3 or receiv\$3 or acquisition or acquir\$3 or sampl\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 10:17
S21	14	S20 and (process\$2 near4 parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 08:56

S22	56493	(portable or mobile or handheld or laptop or (hand adj held) or handset\$1) with (provid\$3 or transmit\$5 or broadcast\$3 or send\$3 or upload\$3 or transfer\$4) with (data or signal\$1 or measur\$6 or information or observation\$1) with (computer or host or server or station or controller)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 10:30
S23	23	S22 and ((sens\$3 or transducer\$1) with (monitor\$3 or measur\$6 or detect\$3 or obtain\$3 or collect\$3 or observ\$6 or pick\$3 or determin\$3 or receiv\$3 or acquisition or acquir\$3 or sampl\$3) with (process near3 parameter\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 09:55
S24	5	S23 and ((mobile or portable or handheld) near5 (sensor\$1 or detector\$1 or transducer\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 09:34
S25	0	S17 and (temperature near4 blood near5 storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 09:54
S26	0	S17 and (temperature with blood near5 storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 09:54
S27	302	(temperature with blood near5 storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 09:54
S28	49	S27 and ((sens\$3 or transducer\$1) with (monitor\$3 or measur\$6 or detect\$3 or obtain\$3 or collect\$3 or observ\$6 or pick\$3 or determin\$3 or receiv\$3 or acquisition or acquir\$3 or sampl\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 09:58
S29	0	S22 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 09:57
S30	1	S16 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 09:57

S31	6	Portable adj computer with process adj control adj environment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 10:18
S32	3	validating adj measurement adj data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 10:21
S33	3	Decision adj support with operations adj maintenance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 10:21
S34	120	Process adj control adj system adj method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 10:26
S35	750	(verif\$7 or valid\$5) with (process near5 parameter\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 10:28
S36	264	S35 and ((computer or server or processor or station or workstation or host) same (sens\$3 or measur\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 10:30
S37	11	S22 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 10:31
S38	13	S16 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/05/27 10:32
S39	30202	(sens\$3 or detect\$3 or gauge or meter) same (primary or first) with measur\$6 same second\$3 with measur\$6 with (process adj parameter\$1 or temperature or pressure or flow or voltage or current or humidity or vibration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 13:57

S40	3525	(sens\$3 or detect\$3 or gauge or meter) and (primary or first) with measur\$6 same second\$3 with measur\$6 with (parameter\$1 or temperature or pressure or flow or voltage or current or humidity or vibration) same (verify\$3 or validat\$3 or calibrat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 13:58
S42	10	S40 and (second\$3 with (measur\$6 or signal or data) same (portable or handheld or hand adj held or mobile or laptop) with (computer or host or central or server or processor or microprocessor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 13:27
S43	2125	(primary or first) with (measur\$6 signal or data) same second\$3 with (measur\$6 or signal or data) same (parameter\$1 or temperature or pressure or flow or voltage or current or humidity or vibration) same (verify\$3 or validat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 15:40
S44	34	S43 and (second\$3 with (measur\$6 or signal or data) same (portable or handheld or hand adj held or mobile or laptop) same (computer or host or central or server or processor or microprocessor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 15:43
S45	937	(primary or first) near4 (measur\$6 or signal or data) same second\$3 near4 (measur\$6 or signal or data) same (parameter\$1 or temperature or pressure or flow or voltage or current or humidity or vibration) same (verify\$3 or validat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 14:28
S46	29	S45 and (second\$3 near4 (measur\$6 or signal or data) same (portable or handheld or hand adj held or mobile or laptop or remote) same (computer or host or central or server or processor or microprocessor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 15:05
S47	116	(primary or first) near4 (measur\$6) same second\$3 near4 (measur\$6) same (parameter\$1 or temperature or pressure or flow or voltage or current or humidity or vibration) same (verify\$3 or validat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 14:29
S48	64	(primary or first) near4 (measur\$6) same second\$3 near4 (measur\$6) with (verify\$3 or validat\$3) same (parameter\$1 or temperature or pressure or flow or voltage or current or humidity or vibration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 15:04
S49	122	(primary or first) near4 (measur\$6) same second\$3 near4 (measur\$6) same (verify\$3 or validat\$3) same (parameter\$1 or temperature or pressure or flow or voltage or current or humidity or vibration or volume)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 15:04

S50	1	S49 and (second\$3 near4 (measur\$6 or signal or data) same (portable or handheld or hand adj held or mobile or laptop or remote) same (computer or host or central or server or processor or microprocessor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 15:07
S51	13	S49 and (portable or handheld or hand adj held or mobile or laptop or remote) same (computer or host or central or server or processor or microprocessor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 15:08
S52	2171	(primary or first) with (measur\$6 or signal or data) same second\$3 with (measur\$6 or signal or data) same (parameter\$1 or temperature or pressure or flow or voltage or current or humidity or vibration or volume) same (verify\$3 or validat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/23 15:40
S53	100	S52 and (second\$3 with (measur\$6 or signal or data) same (portable or handheld or hand adj held or mobile or laptop or channel) same (computer or host or central or server or processor or microprocessor))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 09:02
S54	2	"5715178".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 11:50
S55	6567	process adj loop	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 11:57
S56	2	"20050005713"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/01/24 11:57